8 CITATIONS

- Adamire, B. 2000. General Ozette area observations based on 40 years of trapping in and around Lake Ozette: Letter to M.J. Haggerty from B. Adamire, dated December 14, 2000.
- Alaback, P.B. 1996. Biodiversity patterns in relation to climate: The coastal temperate rainforests of North America. *In* High-latitude rainforests and associated ecosystems of the west coast of the Americas: climate, hydrology, ecology and conservation. *Edited by* R.G. Lawford, P.B. Alaback, and E. Fuentes. Springer-Verlag, New York pp. 105-133.
- Ames, J. and Beecher, H. 2001. Incorporating flood risk into controlled spawning flow regimes for Pacific Salmon: An example using the Cedar River sockeye salmon. Washington Department of Fish and Wildlife, Olympia, WA.
- Andreassian, V. 2004. Water and forests: from historical controversy to scientific debate. Journal of Hydrology **291**: 1-27.
- Atwater, B.F. and Hemphill-Haley, E. 1997. Recurrence intervals for great earthquakes of the past 3,500 years at northeastern Willapa Bay, Washington. U.S. Geological Survey, Professional Paper 1576.
- Bash, J., Berman, C., and Bolton, S. 2001. Effects of turbidity and suspended solids on salmonids. University of Washington, Center for Streamside Studies: http://depts.washington.edu/cssuw/Publications/Salmon%20and%20Turbidity.pdf, Seattle, WA.
- Beacham, T.D. 1986. Type, quantity, and size of food of Pacific salmon (*Oncorhynchus*) in the Strait of Juan de Fuca, British Columbia. Fishery Bulletin **84**: 77-89.
- Beamer, E.M. and Pess, G.R. 1999. Effects of peak flows on Chinook (*Oncorhynchus tshawytscha*) spawning success in two Puget Sound river basins. *In* Watershed Management to Protect Declining Species. *Edited by* R. Sakrison and P. Sturtevant. American Water Resources Association, Middleburg, Virginia.
- Beamish, R.J., Neville, C.E.M., and Cass, A.J. 1997. Production of Fraser River sockeye salmon (*Oncorhynchus nerka*) in relation to decadal-scale changes in the climate and the ocean. Can. J. Fish. Aquat. Sci. **54**: 543-554.
- Beauchamp, D., LaRiviere, M., and Thomas, G. 1995. Evaluation of competition and predation as limits to juvenile kokanee and sockeye salmon production in Lake Ozette, Washington. North American Journal of Fisheries Management **15**: 193-207.
- Beauchamp, D.A. 1995. Riverine predation on sockeye salmon fry migrating to Lake

- Washington. North American Journal of Fisheries Management 15: 358-365.
- Beauchamp, D.A. and LaRiviere, M.G. 1993. An evaluation of competition and predation as limits to juvenile sockeye salmon production in Lake Ozette, Washington. Final Report to Makah Tribe, Makah Fisheries Management, 67pp, Neah Bay, Washington.
- Beechie, T.J. and Sibley, T.H. 1997. Relationships between channel characteristics, woody debris, and fish habitat in northwestern Washington Streams. Transactions of the American Fisheries Society **126**: 217-229.
- Bencala, K.E. 2000. Hyporheic zone hydrologic processes. Hydrologic Processes **14**: 2797-2798.
- Bencala, K.E., Rathbun, R.E., Jackman, A.P., Kennedy, V.C., Zellweger, G.W., and Avanzino, R.J. 1983. Rhodamine WT dye losses in a mountain stream environment. Water Resources Bulletin **19**: 943-960.
- Beschta, R.L. 1978. Long-term patterns of sediment production following road construction and logging in the Oregon Coast Range. Water Resources Research **14**: 1014-1016.
- Beschta, R.L., Pyles, M.R., Skaugset, A.E., and Surfleetand, C.G. 2000. Peak flow responses to forest practices in the western cascades of Oregon, USA. Journal of Hydrology **233**: 102-120.
- Bilby, R.E. 1984. Removal of woody may affect stream stability. Journal of Forestry **82**: 609-613.
- Bilby, R.E. and Ward, J.W. 1989. Changes in characteristics and function of woody debris with increasing size of streams in western Washington. Transactions of the American Fisheries Society 118: 368-378.
- Bilby, R.E. and Ward, J.W. 1991. Characteristics and function of large woody debris in streams draining old-growth, clear-cut, and second-growth forests in southwestern Washington. Canadian Journal of Fisheries and Aquatic Science **48**: 2499-2508.
- Biological Review Team (BRT) 2003. Updated status of Federally listed ESUs of West Coast salmon and steelhead. Northwest Fisheries Science Center and Southwest Fisheries Science Center, Santa Cruz Laboratory, Seattle, WA and Santa Cruz, CA.
- Bisson, P.A., Bilby, R.E., Bryant, M.D., Dolloff, C.A., Grette, G.B., House, R.A., Murphy, M.L., Koski, K.V., and Sedell, J.R. 1987. Large woody debris in forested streams in the Pacific Northwest: past, present and future. *In* Streamside Management: Forestry and Fisheries Interactions. *Edited by* E.O. Salo and T.W. Cundy . Institute of Forest Resources Contribution No. 57 Seattle: University of Washington, pp. 143-190.

- Bjorn, T.C. and Reiser, D.W. 1991. Habitat requirements of salmonids in streams. *In* Influences of forest and rangeland management on salmonid fishes and their habitats. *Edited by* W.R. Meehan. American Fisheries Society Special Pub. 19. pp. 83-138.
- Blair, G. R., and T. P. Quinn. 1991. Homing and spawning site selection by sockeye salmon (Oncorhynchus nerka) in Iliamna Lake, Alaska. Can. J. Zool. 69:176–181.
- Blair, G.R., D.E. Rogers & T.P. Quinn. 1993. Variation in life history characteristics and morphology of sockeye salmon (Oncorhynchus nerka) in the Kvichak River system, Bristol Bay, Alaska. Trans. Am. Fish. Soc. 122: 550–559.
- Blum, J.P. 1982. Letter to Mr. Charles Janda from J.P. Blum (former assistant director, MFM) dated September 7, 1982, subject-Logjam removal in Ozette River. Unpublished letter available at Makah Fisheries Management, PO Box 115, Neah Bay, WA 98363.
- Blum, J.P. 1988. Assessment of factors affecting sockeye salmon (*Oncorhynchus nerka*) production in Ozette Lake, WA. University of Washington, M.S. Thesis, 107pp, Seattle, WA.
- Booth, D.B. 1990. Stream-channel incision following drainage-basin urbanization. Water Resources Bulletin **26**: 407-417.
- Booth, D.B. and Jackson, C.R. 1997. Urbanization of aquatic systems: degradation thresholds, stormwater detection, and the limits of mitigation. Journal of the American Water Resources Association **33**: 1077-1089.
- Bortleson, G.C. and Dion, N.P. 1979. Preferred and observed conditions for sockeye salmon in Ozette Lake and its tributaries, Clallam County, Washington. Tacoma, WA., United States Department of the Interior, U.S. Geological Survey. Water-Resources Investigations 78-64, 61pp.
- Bosch, J.M. and Hewlett, J.D. 1982. A review of catchment experiments to determine the effect of vegetation changes on water yield and evpotranspiration. Journal of Hydrology **55**: 3-23.
- Boulton, A.J., Findlay, S., Marmonier, P., Stanley, E.H., and Valett, H.M. 1998. The functional significance of the hyporheic zone in streams and rivers. Annual Review of Ecology and Systematics **29**: 59-81.
- Bowling, L.C. and Lettenmaier, D.P. 2001. The effects of forest roads and harvest on catchment hydrology in a mountainous maritime environment. *In* Land use and watersheds: human influences on hydrology and geomorphology in urban and forest areas. *Edited by* M.S. Wigmosta and S.J. Burges. American Geophysical Union, Water Science and Application 2, Washington D.C. pp. 145-164.

- Bowling, L.C., Storck, P., and Lettenmaier, D.P. 2000. Hydrologic effects of logging in western Washington, United States. Water Resources Research **36**: 3223-3240.
- Brardinoni, F., Hassan, M.A., and Slaymaker, H.O. 2002. Complex mass wasting response of drainage basins to forest management in coastal British Columbia. Geomorphology **49**: 109-124.
- Brennan, B.M. 1941. Letter to Mr. E.M. Benn, Fisheries Inspector, from B.M. Brennan (Director of Fisheries), April 8, 1941. Washington Department of Fisheries.
- Brett, J.R. 1952. Temperature tolerance in young juvenile salmon Genus *Oncorhynchus*. Journal of Fisheries Research Board of Canada **9**: 265-323.
- Brett, J.R. 1971. Energetic responses of salmon to temperature. A study of some thermal relations in the physiology and freshwater ecology of sockeye salmon (*Oncorhynchus nerka*). Am. Zool. **11(1)**: 99-113.
- Brown, A.E., Zhang, L., McMahon, T.A., Western, A.W., and Vertessy, R.A. 2005. A review of paired catchment studies for determining changes in water yield resulting from alteration in vegetation. Journal of Hydrology **310**: 28-61.
- Brown, G.W. and Krygier, J.T. 1971. Clear-cut logging and sediment production in the Oregon Coast Range. Water Resources Research 7: 1189-1198.
- Brown, R. and Mate, B. 1983. Abundance, movements and feeding habitats of harbor seals, *Phoca vitulina*, at Netarts and Tillamook Bays, Oregon. Fish. Bull. U.S. **81**: 291-301.
- Bruijnzeel, L.A. 1988. (De)forestation and dry season flow in the tropics: a closer look. Journal of Tropical Forest Science 1: 229-243.
- Bruijnzeel, L.A. 1990. Hydrology of moist tropical forest and effects of conversion: a state of knowledge review. UNESCO-IHP, Humid Tropics Program, 224p. Paris, France.
- Bruijnzeel, L.A. 1996. Predicting the hydrologic effects of land cover transformation in the humid tropics: the need for integrated research. *In* Amazonian deforestation and climate. *Edited by* J.H.C. Gash, C.A. Nobre, J.M. Roberts, and R.L. Victoria. Wiley, Chichester, U.K pp. 15-55.
- Buckingham, N.M, Schreiner, E.G., Kaye, T.N., Burger, J.E., and Tisch, E.L. Flora of the Olympic Peninsula. 1995. Northwest Interpretive Association. Seattle, WA. 199pp.
- Buffington, J.M. and Montgomery, D.R. 1999a. Effects of hydraulic roughness on surface textures of gravel-bed rivers. Water Resources Research **35**: 3507-3521.
- Buffington, J.M. and Montgomery, D.R. 1999b. Effects of sediment supply on surface

- textures of gravel-bed rivers. Water Resources Research 35: 3523-3530.
- Burger, C. V., Finn, J.E., and Holland-Bartels, L. 1995. Pattern of shoreline spawning by sockeye salmon in a glacially turbid lake: evidence for subpopulation differentiation. Transactions of the American Fisheries Society. 124:1-15.
- Burgner, R.L. 1991. Life history of sockeye salmon *Oncorhynchus nerka*. *In* Pacific salmon life histories. *Edited by* C. Groot and L. Margolis. University of British Columbia Press, Vancouver B.C. Canada pp. 1-117.
- Burns, J.W. 1972. Some effects of logging and associated road construction on Northern California streams. Transactions of the American Fisheries Society **101**: 1-17.
- Carretta, J.V., Forney, K.A., Muto, M.M., Barlow, J., Baker, J., Hanson, B., and Lowry, M. 2005. U.S. Pacific marine mammal stock assessments: 2004. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-SWFSC-375, 322pp.
- Castellarin, A., Burn, D.H., and Brath, A. 2001. Assessing the effectiveness of hydrological similarity measures for flood frequency analysis. Journal of Hydrology **241**: 270-285.
- Cederholm, C.J., Bilby, R.E., Bisson, P.A., Bumstead, T.W., Fransen, B.R., Scarlett, W.J., and Ward, J.W. 1997. Response of juvenile coho salmon and steelhead to the placement of large woody debris in a coastal Washington stream. North American Journal of Fisheries Management 17: 947-963.
- Cederholm, C.J. and Koski, K.V. 1977. Effects of stream channelization on the salmonid habitat and populations of lower Big Beef Creek, Kitsap County, Washington, 1969-73. University of Washington, Seattle: Washington Cooperative Fishery Research Unit, College of Fisheries.
- Cederholm, C.J., Reid, L.M., Edie, B.G., and Salo, E.O. 1982. Effects of forest road erosion on salmonid spawning gravel composition and populations of the Clearwater River, Washington. *In* Proceedings of a symposium, California Trout. San Francisco, CA pp. 1-17.
- Cederholm, C.J., Reid, L.M., and Salo, E.O. 1980. Cumulative effects of logging road sediment on salmonid populations in the Clearwater River, Jefferson County, Washington. Presented to the conference, salmon-spawning gravel: a renewable resource in the Pacific Northwest? University of Washington, College of Fisheries, Contribution Number 543. 35 pp, Seattle, WA.
- Cederholm, C.J., Reid, L.M., and Salo, E.O. 1981. Cumulative effects of logging road sediment on salmonid populations in the Clearwater River, Jefferson County, Washington. *In* Proceedings, conference on salmon spawning gravel: a renewable resource in the Pacific Northwest? Washington State University, Water Research

- Center, Report 39, Pullman, WA pp. 38-74.
- Chapman, D.W. 1988. Critical review of variables used to define effects of fines in redds of large salmonids. Transactions of the American Fisheries Society **117**: 1-21.
- Clallam County Noxious Weed Control Board (CCNWCB) 2005. 2005 knotweed project. Unpublished report available from the CCNWCB, 40pp, Port Angeles, WA.
- Coe, D. 2004. The hydrologic impacts of roads at varying spatial and temporal scales: a review of published literature as of April 2004. Upland Processes Science Advisory Group (UPSAG) of the Committee for Cooperative Monitoring, Evaluation, and Research (CMER), Washington State Department of Natural Resources, Olympia, WA.
- Conrad, B. 1993. Letter to Dan Drange (Makah Fisheries Management), subject "Estimates of sockeye and coho salmon smolt migration from Lake Ozette in 1992.
- Constantine, J.A., Pasternack, G.B., and Johnson, M.L. 2005. Logging effects on sediment flux observed in a pollen-based record of overbank deposition in a northern California catchment. Earth Surface Processes and Landforms **30**: 813-821.
- Contor, R.J. 1982. Letter to Mr. John Blum from R.J. Contor (former ONP Superintendent) dated September 16, 1982, subject- Authorization for MFM to perform limited clearing of logjams on the Ozette River during September and October, 1982. Unpublished letter available at ONP, 600 East Park Avenue, Port Angeles, WA 98362.
- Cook-Tabor, C. 1994. Effects of suspended sediments on salmonids. U. S. Fish and Wildlife Service, Western Washington Fishery Research Office, 6pp, Olympia, WA.
- Cooke, S.J., Hinch, S.G., Farrell, A.P., Lapointe, M.F., Jones, S.R.M., Macdonald, J.S., Patterson, D.A., Healey, M.C., and Van Der Kraak, G. 2004. Abnormal migration timing and high en route mortality of sockeye salmon in the Fraser River, British Columbia. Fisheries **29**: 22-33.
- Crewson, M.J. 2002. Summary of broodyear 2000 and 2001 Olsen's Beach egg survival studies. Unpublished Report, Makah Fisheries Management (MFM), 4pp, Neah Bay, WA.
- Crewson, M.J. 2003. FY-2002 hatchery reform Lake Ozette sockeye smolt out-migration monitoring project. Unpublished Report, Makah Fisheries Management (MFM), 8pp, Neah Bay, WA.
- Crewson, M.J., Haggerty, M.J., Ritchie, A.C., Young, S.F., Shaklee, J.B., Currens, K.P., and Eldridge, W. 2001. Genetic characterization of Lake Ozette sockeye salmon

- for enhancement recovery strategies. Makah Fisheries Management (MFM) and Northwest Indian Fisheries Commission (NWIFC), Unpublished report. 29, under IAC Grant #01-038, 29pp, Neah Bay, WA; Lacey, WA.
- Croke, J. and Mockler, S. 2001. Gully initiation and road-to-stream linkage in a forested catchment, southeastern Australia. Earth Surface Processes and Landforms **26**: 205-217.
- Croke, J., Mockler, S., Fogarty, P., and Takken, I. 2005. Sediment concentration changes in runoff pathways from a forest road network and the resultant spatial pattern of catchment connectivity. Geomorphology **68**: 257-268.
- Department of Fisheries and Oceans (DFO) 2005. 2004 Southern salmon fishery post season review, Part 1: Fraser River sockeye salmon. Department of Fisheries and Oceans Canada, 69pp plus appendices, Vancouver B.C., Canada.
- DeVries, P.E. 2000. Scour in low gradient gravel bed streams: patterns, processes, and implications for the survival of salmonid embryos. University of Washington, PhD Dissertation.
- Dlugokenski, C., Bradshaw, W., and Hager, S. 1981. An investigation of the limiting factors to Lake Ozette sockeye salmon production and a plan for their restoration. U. S. Fish and Wildlife Service, Fisheries Assistance Office, 52pp plus appendices.
- Downs, P.W. and Gregory, K.J. 2004. River channel management: towards sustainable catchment hydrosystems. Arnold, London.
- Drange, D. and LaRiviere. M.G. 1991. Lake Ozette sockeye salmon studies: adult weir operation summary 1991. Unpublished report prepared for Makah Fisheries Management, 5pp, Neah Bay, WA.
- Dudley, S.J., Fischenich, J.C., and Abt, S.R. 1998. Effects of woody debris entrapment on flow resistance. Journal of the American Water Resources Association **35**: 1189-1197.
- Duncan, S.H. and Ward, J.W. 1985. The influence of watershed geology and forest roads on the composition of salmon spawning gravel. Northwest Science **59**: 204-212.
- Edwards, R.T. 1998. The hyporheic zone. *In* River ecology and management . *Edited by* R.J. Naiman and R.E. Bilby. Springer .
- Erman, D.C., Andrews, E.D., and Yoder-Williams, M. 1988. Effects of winter floods on fishes in the Sierra Nevada. Canadian Journal of Fisheries and Aquatic Science **45**: 2195-2200.
- Everst, F.H., Beschta, R.L., Scrivener, J.C., Koski, K.V., Sedell, J.R., and Cederholm, C.J. 1987. Fine sediment and salmonid production: a paradox. *In* Streamside

- management: forestry and fisheries interactions. *Edited by* E.O. Salo and T.W. Cundy. Institute of Forest Resources, Contribution No. 57, University of Washington, Seattle, WA pp. 98-142.
- Farrell, A.P. and Hinch, S. 2004. Temperature and lethality in Fraser River sockeye salmon. Power point presentation to the Standing Committee on Fisheries and Oceans, Public Hearing on the 2004 Fraser River Sockeye Salmon Harvest-Panel 12, December 4, 2004.
- Farrington, R.L. and Savina, M.E. 1977. Off-site effects of roads and clearcut units on slope stability and stream channels, Fox Planning Unit: Six Rivers National Forest. U.S. Forest Service, California.
- Faustini, J.M. and Kaufmann, P.R. 2003. Regional, basin and local factors influencing the use of synoptic survey data to assess anthropogenic changes in streambed stability and fine sediment. Eos Transactions, American Geophysical Union (AGU) **84**: Fall Meet. Suppl., Abstract H42E-1125.
- Fleckenstein, J., Anderson, M., Fogg, G., and Mount, J. 2004. Managing surface water-groundwater to restore fall flows in the Cosumnes River. Journal of Water Resources Planning and Management **July-August**: 301-310.
- Foerster, R.E. 1968. The sockeye salmon, *Oncorhynchus nerka*. Fisheries Research Board of Canada. Bulletin 162. 422pp, Ottawa, Canada.
- Foote, C.J. and Brown, G.S. 1998. Ecological relationship between freshwater sculpins (genus *Cottus*) and beach-spawning sockeye salmon (*Oncorhynchus nerka*) in Iliamna Lake, Alaska. Canadian Journal of Fisheries and Aquatic Sciences **55**: 1524-1533.
- Fuss, H.L. 1984. Age, growth, and instream movement of Olympic Peninsula coastal cutthroat trout. *In* Olympic wild fish conference. *Edited by* J.M. Walton and D. Houston. Peninsula College, Port Angeles, WA pp. 125-134.
- Gearin, P.J., Hughes, K.M., Haggerty, M.J., Ritchie, A.C., Crewson, M.J., Cooke, L., Wilke, L., Dhruv, M.I., Banks, A.S., Laake, J., Delong, R.L., Griffith, J., Gosho, M.E., Orr, A.J., and Huber, H.R. 2002. Investigations of pinniped and river otter interactions with Lake Ozette sockeye salmon, *Oncorhynchus nerka*, 1998-2000.
 U.S. Department of Commerce, NOAA, National Marine Mammal Laboratory, Alaska Fisheries Science Center, Makah Fisheries Management, 16pp, Seattle, WA, Neah Bay, WA.
- Gearin, P.J., Lehman, K.M., Hughes, K.M., Cooke, L., Delong, R.L., and Gosho, M.E. 1999. Investigations of pinniped interactions with Lake Ozette sockeye salmon, *Oncorhynchus nerka*, 1998. Unpublished Report, NOAA, NMFS, NMML and MFM, 34pp.
- Gearin, P.J., Lehman, K.M., Hughes, K.M., Laake, J., Delong, R.L., Cooke, L., Gosho,

- M.E., Orr, A.J., and Griffith, J. 2000. Investigations of pinniped interactions with Lake Ozette sockeye salmon, *Oncorhynchus nerka*, 1999. *In* Marine mammal protection act and endangered species act implementation program 1999. NOAA, AFSC, NMFS, Processed Report 2000-11, pp. 171-180.
- Gippel, C.J. 1995. Environmental hydraulics of large woody debris in streams and rivers. Journal of Environmental Engineering **121**: 388-395.
- Gippel, C.J., O'Neill, I.C., Finlayson, B.L., and Schnatz, I. 1996. Hydraulic guidelines for the reintroduction and management of large woody debris in lowland river systems. Regulated Rivers Research and Management 12: 223-236.
- Golder Associates Inc. 2005. Multi-purpose storage assessment for Water Resources Inventory Area 20. Unpublished report prepared for Clallam County, WA and the WRIA 20 Planning Unit, Bellevue, WA.
- Good, T.P., Waples, R.S., and Adams, P. 2005. Updated status of federally listed ESUs of West Coast salmon and steelhead. U.S. Dept. Commer., NOAA Tech. Memo. NMFS-NWFSC-66, 598 p.
- Greene, C.M., Jensen, D.W., Pess, G.R., Steel, E.A., and Beamer, E. 2005. Effects of environmental conditions during stream, estuary, and ocean residency on Chinook salmon return rates in the Skagit River, Washington. Transactions of the American Fisheries Society **134**: 1562-1581.
- Gregory, S.V., Boyer, K., Gurnell, A.M., and (eds) 2003. The ecology and management of wood in world rivers. American Fisheries Society.
- Grette, G. 1985. The role of large organic debris in juvenile salmonid rearing habitat in small streams. University of Washington, Master Thesis, Seattle, WA.
- Grip, H., Fritsch, J.M., and Bruijnzeel, L.A. 2005. Soil and water impacts during forest conversion and stabilization to a new land use. *In* Forests, water and people in the humid tropics: past, present and future hydrological research for integrated land and water management. *Edited by M.* Bonell and L.A. Bruijnzeel. Cambridge University Press, U.K. pp. 561-589.
- Gucinski, H., Furniss, M.J., Ziemer, R.R., and Brookes, M.H. 2001. Forest roads: a synthesis of scientific information. Gen. Tech. Rep. PNW-GTR-509. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 103 p, Portland, OR.
- Gustafson, R.G., Wainwright, T.C., Winans, G.A., Waknitz, F.W., Parker, L.T., and Waples, R.S. 1997. Status Review of Sockeye Salmon from Washington and Oregon . NOAA Technical Memorandum NMFS-NWFSC-33.
- Haggerty, M.J. 2004a. Lake Ozette sockeye run-size estimate for return year 2002. Unpublished report submitted to the Makah Indian Tribe, 25pp, Neah Bay, WA.

- Haggerty, M.J. 2004b. Fish habitat module, Washington State Department of Natural Resources-middle coast landscape plan: Kalaloch Planning Unit, level 1 assessment. Unpublished report submitted to the Hoh Indian Tribe and Washington State Department of Natural Resources, 131pp, Forks, WA.
- Haggerty, M.J. 2005a. Lake Ozette sockeye run-size estimate for return year 2003. Unpublished report submitted to the Makah Indian Tribe, 21pp, Neah Bay, WA.
- Haggerty, M.J. 2005b. Lake Ozette sockeye run-size estimate for return year 2001. Unpublished report submitted to the Makah Indian Tribe, 28pp, Neah Bay, WA.
- Haggerty, M.J. 2005c. Lake Ozette sockeye run-size estimate for return year 2000. Unpublished report submitted to the Makah Indian Tribe, 23pp, Neah Bay, WA.
- Haggerty, M.J. 2005d. Lake Ozette sockeye run-size estimate for return years 1999, 1998, 1997, and 1996. Unpublished report submitted to the Makah Indian Tribe, 42pp, Neah Bay, WA.
- Haggerty, M.J. and Ritchie, A.C. 2004. Lake Ozette tributary habitat conditions: A summary of Ozette watershed baseline habitat inventory data. Unpublished report submitted to the Makah Indian Tribe, Funding from FY 1999 BIA Watershed Projects-Jobs in the Woods Program, 139pp.
- Harr, D.H., Harper, W.C., and Krieger, J.T. 1975. Changes in storm hydrographs after road building and clear-cutting in the Oregon Coast Range. Water Resources Research 11: 436-444.
- Harvey, J.W. and Bencala, K.E. 1993. The effect of streambed topography on surfacesubsurface water exchange in mountain catchments. Water Resources Research 29: 89-98.
- Harvey, J.W. and Wagner, B.J. 2000. Quantifying hydrologic interactions between streams and their subsurface hyporheic zones. *In* Streams and Ground Waters. *Edited by* J.A. Jones and Mulholland P. J. Academic Press, San Diego, CA pp. 3-44.
- Harvey, J.W., Wagner, B.J., and Bencala, K.E. 1996. Evaluating the reliability of the stream tracer approach to characterize stream-substrate water exchange. Water Resources Research 32: 2441-2451.
- Haschenburger, J.K. 1999. A probability model of scour and fill depths in gravel-bed channels. Water Resources Research **35**: 2857-2869.
- Hawkins, D. Microsatellite DNA analysis of sockeye and kokanee (*Oncorhynchus nerka*) form Lake Ozette, Washington. 2004. WDFW Fish Program, Science Division, Conservation Biology, Genetics Laboratory, Unpublished report, 29pp.
- Helsel, D.R. and Hirsch, R.M. 2002. Statistical methods in water resources. U.S.

- Geological Survey: Techniques of Water-Resources Investigations, Book 4, Hydrologic Analysis and Interpretation Chapter A3.
- Hendry, A.P., F.E. Leonetti, and T.P. Quinn. 1995. Spatial and temporal isolating mechanisms: the formation of discrete breeding aggregations of sockeye salmon (Oncorhynchus nerka). Canadian Journal of Zoology, 73:339-352.
- Herrera Environmental Consultants, I. 2005. Hydraulic and geomorphic evaluation: analysis of wood loading in the Ozette River and its effect on water levels in Lake Ozette, Clallam County, Washington. Unpublished report prepared for Makah Fisheries Management, 134 plus appendices, Neah Bay, WA.
- Herrera Environmental Consultants, I. 2006. Reconnaissance study of geomorphic conditions: Lake Ozette watershed. Unpublished report prepared for Olympic National Park, 154 plus appendices, Port Angeles, WA.
- Hershberger, W. K., Seeb, J., and Aebersold, P. Genetic analysis of the sockeye salmon (*Oncorhynchus nerka*) returning to Lake Ozette. 9. 82. Seattle, WA, Unpublished report to Steve Joner, Makah Fisheries Management, from W.K. Hershberger, School of Fisheries, University of Washington.
- Hicks, B.J., Beschta, R.L., and Harr, R.D. 1991b. Long-term changes in streamflow following logging in western Oregon and associated fisheries implications. Water Resources Bulletin **27**: 217-226.
- Hicks, B.J., Hall, J.D., Bisson, P.A., and Sedell, J.R. 1991a. Responses of salmonids to habitat changes. *In* Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats. *Edited by* W.R. Meehan. American Fisheries Society Special Publ. 19, pp. 483-518.
- Hinch, S. 2005. Early migrations and high mortality in Late-Run Fraser sockeye: overview of recent research results. February 23, 2005 presentation to the 2004 southern fishery post-review panel, Richmond, BC, Canada.
- Hinton, J., Crewson, M.J., Hughes, A.K., and Ritchie, A.R. 2002. FY 2001 hatchery reform Type 1 project: Umbrella Creek resistance board weir and adult trap. Unpublished report prepared by Makah Fisheries Management, 3p, Neah Bay, WA.
- Hollis, G.E. 1975. The effects of urbanization on floods of different recurrence interval. Water Resources Research 11: 431-435.
- Holscher, D., Mackensen, J., and Roberts, J.M. 2005. Forest recovery in the humid tropics: changes in vegetation structure, nutrient pools and the hydrological cycle. *In* Forests, water and people in the humid tropics: past, present and future hydrological research for integrated land and water management. *Edited by* M. Bonell and L.A. Bruijnzeel. Cambridge University Press, U.K. pp. 598-621.

- Hughes, K.M., Crewson, M.J., and Ritchie, A.C. 2002. FY-2001 hatchery reform phase II telemetry study of Lake Ozette sockeye. Unpublished report, Makah Fisheries Management, 6pp.
- Hyatt, K.D., Stockwell, M.M., and Rankin, D.P. 2003. Impact and adaptation response of Okanagan River sockeye salmon (*Oncorhynchus nerka*) to climate variation and change effects during freshwater migration: stock restoration and fisheries management implications. Canadian Water Resources Journal **4**: 689-713.
- Hygelund, B. and Manga, M. 2003. Field measurements of drag coefficients for model large woody debris. Geomorphology **51**: 175-185.
- Ikuta, K., Yada, T., Kitamura, S., Ito, F., Yamagichi, M., Nishimura, T., Nagae, M., Ishimatsu, A., and Iwata, M. 1999. Effects of acidification on fish reproduction. UJNR (United States and Japan Natural Resources) Technical Report 28, pp. 39-46.
- Independent Multidisciplinary Science Team (IMST) 1998. Pinniped and seabird predation: implications for recovery of threatened stocks of salmonids in Oregon under the Oregon Plan for Salmon and Watersheds. Technical report 1998-2 to the Oregon Plan for Salmon and Watersheds, Governor's Natural Resources Office, from the Independent Multidisciplinary Science Team (IMST), Oregon State University, Forestry Sciences Laboratory, Salem, OR.
- Ingwersen, J.B. 1985. Fog drip, water yield, and timber harvesting in the Bull Run Municipal Watershed, Oregon. Water Resources Bulletin **21**: 469-473.
- Intergovernmental Panel on Climate Change (IPCC) 2001. Climate change 2001: the scientific basis. World Meteorological Organization, Technical Summary of IPCC Working Group I for the IPCC Third Assessment Report: http://www.ipcc.ch/.
- Jacobs, R., Larson, G., Meyer, J., Currence, N., Hinton, J., Adkison, M., and Burgner, R. 1996. The sockeye salmon *Oncorhynchus nerka* populations in Lake Ozette, Washington, USA. U.S. Department of the Interior, National Park Service, Tech. Report NPS /CCSOSU/NRTR-96 /04.
- Johnson, O.W., Ruckelshaus, M.H., Grant, W.S., Waknitz, F.W., Garrett, A.M., Bryant, G.J., Neely, K., and Hard., J.J. 1999. Status review of coastal cutthroat trout from Washington, Oregon, and California. U.S. Department of Commerce, NOAA Tech. Memo. NMFS-NWFSC-37, 292 pp.
- Jones, J.A. 2000. Hydrologic processes and peak discharge response to forest removal, regrowth, and roads in 10 small experimental basins, western Cascades, Oregon. Water Resources Research **36**: 2621-2642.
- Jones, J.A. and Grant, G.E. 1996. Peak flow responses to clear-cutting and roads in small and large basins, Western Cascades, Oregon. Water Resources Research **32**: 959-974.

- Jones, J.A. and Grant, G.E. 2001. Comment on "Peak flow responses to clear-cutting and roads in small and large basins, Western Cascades, Oregon: a second opinion" by R.B. Thomas and W.F. Megahan. Water Resources Research **37**: 175-178.
- Jones, J.A. and Post, D.A. 2004. Seasonal and successional streamflow response to forest cutting and regrowth in the northwest and eastern United States. Water Resources Research 40: WO5203.
- Kellerhals, R. and Church, M. 1989. The morphology of large rivers: characterization and management. *In* The international large river symposium. *Edited by* D.P. Dodge. pp. 31-48.
- Kemmerich, J. 1926. Letter to Mr. J.R. Russell from J. Kemmerich, dated December 31, 1926, subject-Ozette Lake sockeye salmon work. *In* Letter to Dr. R.E. Foerster from J. Kemmerich, dated 21 June 1939 and titled, "Subject: Ozette Lake Sockeye Salmon Work.". *Edited by* J. Kemmerich. Miscellaneous sockeye runs to streams in Washington, File 1510.1-1, Pacific Salmon Commission Library. 1 p. plus 4 p. attachment. (Available from Librarian, Pacific Salmon Commission, Suite 600-1155 Robson Street, Vancouver, B.C., Canada V6E 1B9).
- Kemmerich, J. 1939. Letter to Dr. R.E. Foerster from J. Kemmerich, dated 21 June 1939 and titled, "Subject: Ozette Lake Sockeye Salmon Work.". *In* Miscellaneous sockeye runs to streams in Washington. File 1510.1-1, Pacific Salmon Commission Library. 1 p. plus 4 p. attachment. (Available from Librarian, Pacific Salmon Commission, Suite 600-1155 Robson Street, Vancouver, B.C., Canada V6E 1B9).
- Kemmerich, J. 1945. A review of the artificial propagation and transplantation of the sockeye salmon of the Puget Sound area in the State of Washington conducted by the Federal government from 1896 to 1945. USDI, U.S. Fish and Wildlife Service, 114pp.
- Keppeler, E.T. and Ziemer, R.R. 1990. Logging effect on streamflow: water yield and summer low flows at Casper Creek in northwestern California. Water Resources Research **26**: 1669-1679.
- Klinge, R. 1991. Summer stream temperatures in the Ozette Drainage 1990. Makah Fisheries Management, unpublished report, 4pp, Neah Bay, WA.
- Kloempken, K. 1996. Letter to R. Gustafson, NMFS, from K. Kloempken, WDFW, regarding information request on kokanee planting records, dated 4 November 1996.
- Knighton, D. 1998. Fluvial forms and processes: a new perspective. Arnold, London.
- Koenings, J.P., Geiger, H.J., and Hasbrouck, J.J. 1993. Smolt-to-adult survival patterns of sockeye salmon: effects of smolt length and geographic latitude when entering the sea. Canadian Journal of Fisheries and Aquatic Sciences **49**: 600-611.

- Koksi, K.V. 1966. The survival of coho salmon (*Oncorhynchus kisutch*) from egg deposition to emergence in three Oregon coastal streams. Oregon State University, Master's thesis, 98pp.
- Kondolf, G.M., Maloney, L.M., and Williams, J.G. 1987. Effects of bank storage and well pumping on base flow, Carmel River, Monterey County, California . Journal of Hydrology.
- Kondolf, G.M., Sale, M.J., and Wolman, M.G. 1993. Modification of fluvial gravel size by spawning salmonids. Water Resources Research **29**: 2265-2274.
- Kondolf, G.M. and Wolman, M.G. 1993. The sizes of salmonid spawning gravels. Water Resources Research **29**: 2275-2285.
- Kramer, R. 1953. Completion report by stream clearance unit on Ozette and Big Rivers. Washington Department of Fisheries (WDF), Stream Improvement Division, Unpublished Report.
- LaMarche, J.L. and Lettenmaier, D.P. 2001. Effects of forest roads on flood flows in the Deschutes River, Washington. Earth Surface Processes and Landforms **26**: 115-134.
- Lapointe, M., Eaton, B., Driscoll, S., and Latulippe, C. 2000. Modeling the probability of salmonid egg pocket scour due to floods. Canadian Journal of Fisheries and Aquatic Sciences **57**: 1120-1130.
- LaRiviere, M.G. 1990. 1989 Lake Ozette sockeye smolt outmigration. Unpublished report submitted to Makah Fisheries Management, Project Report 90-2, 14 pp plus appendices, Neah Bay, WA.
- LaRiviere, M.G. 1991. Lake Ozette sockeye salmon studies: adult weir operations, 1988-1990. Unpublished report submitted to Makah Fisheries Management, Project Report 91-1, 27pp, Neah Bay, WA.
- Leonetti, Frank E. 1997. Estimation of Surface and Intragravel Water Flow at Sockeye Salmon Spawning Beaches in Iliamna Lake, Alaska. North American Journal of Fisheries Management 17:194-201.
- Leopold, L.B., Wolman, M.G., and Miller, J.P. 1964. Fluvial processes in geomorphology. Dover, New York.
- Lestelle, L. 1996. Recommendations for developing an approach for the restoration of Ozette sockeye salmon. *In* The sockeye salmon *Oncorhynchus nerka* populations in Lake Ozette, Washington, USA. *Edited by* R. Jacobs, G. Larson, J. Meyer, N. Currence, J. Hinton, M. Adkison, and R. Burgner. U.S. Department of the Interior, National Park Service, Tech. Report NPS /CCSOSU/NRTR-96 /04.
- Lewis, J., Mori, S.R., Keppeler, E.T., and Ziemer, R.R. 2001. Impacts of logging on

- storm peak flows, flow volumes and suspended sediment loads in Casper Creek, California. *In* Land use and watersheds: human influences on hydrology and geomorphology in urban and forest areas. *Edited by* M.S. Wigmosta and S.J. Burges. American Geophysical Union, Water Science and Application 2, Washington D.C. pp. 85-125.
- Lieb, A. and Perry, T.IV. 2004. Overview of watershed conditions and seasonal variability in streamflow for select streams within WRIA 20, Olympic Peninsula, Washington. U.S. Bureau of Reclamation, Denver, CO.
- Linsley, R.K.Jr., Kohler, M.A., and Paulhus, J.L.H. 1982. Hydrology for engineers: third edition. McGraw-Hill, New York.
- Lisle, T.E. 1986. Stabilization of a gravel channel by large streamside obstructions and bedrock bends, Jacoby Creek, northwestern California. Geological Society of America Bulletin 8: 999-1011.
- Lisle, T.E. and Hilton, S. 1999. Fine bed material in pools of natural gravel bed channels. Water Resources Research **35**: 1291-1304.
- Lisle, T.E., Nelson, J.M., Pitlick, J., Madej, M.A., and Barkett, B.L. 2000. Variability of bed mobility in natural, gravel-bed channels and adjustments to sediment load at local and reach scales. Water Resources Research **36**: 3743-3755.
- Luce, C.H. 2002. Hydrological processes and pathways affected by forest roads: what do we still need to learn? Hydrological Processes **16**.
- Luce, C.H. and Black, T.A. 2001. Spatial and temporal patterns in erosion from forest roads. *In* Land use and watersheds: human influences on hydrology and geomorphology in urban and forest areas. *Edited by* M.S. Wigmosta and S.J. Burges. American Geophysical Union, Water Science and Application 2, Washington D.C. pp. 165-178.
- Luce, C.H. and Cundy, T.W. 1994. Parameter identification for a runoff model for forest roads. Water Resources Research **30**: 1057-1069.
- Madej, M.A. 1996. Channel response to sediment wave propagation and movement, Redwood Creek, California, USA. Earth Surface Processes and Landforms 21: 911-927.
- Madej, M.A. 1999. Temporal and spatial variability in thalweg profiles of a gravel-bed river. Earth Surface Processes and Landforms **24**: 1153-1169.
- Makah Fisheries Management (MFM) 1981a. FY 1981 annual report. Unpublished report submitted to Makah Tribal Council, Neah Bay, WA.
- Makah Fisheries Management (MFM) 1981b. FY 1981 third quarter report. Unpublished report submitted to Makah Tribal Council, Neah Bay, WA.

- Makah Fisheries Management (MFM) 1981c. FY 1981 fourth quarter report. Unpublished report submitted to Makah Tribal Council, Neah Bay, WA.
- Makah Fisheries Management (MFM) 1982a. FY 1982 annual report. Unpublished report submitted to Makah Tribal Council, Neah Bay, WA.
- Makah Fisheries Management (MFM) 1982b. FY 1982 third quarter report. Unpublished report submitted to Makah Tribal Council, Neah Bay, WA.
- Makah Fisheries Management (MFM) 1983a. FY 1983 annual report. Unpublished report submitted to Makah Tribal Council, Neah Bay, WA.
- Makah Fisheries Management (MFM) 1983b. FY 1983 first quarter report. Unpublished report submitted to Makah Tribal Council, Neah Bay, WA.
- Makah Fisheries Management (MFM) 1983c. FY 1983 third quarter report. Unpublished report submitted to Makah Tribal Council, Neah Bay, WA.
- Makah Fisheries Management (MFM) 1984a. FY 1984 annual report. Unpublished report submitted to Makah Tribal Council, Neah Bay, WA.
- Makah Fisheries Management (MFM) 1984b. FY 1984 first quarter report. Unpublished report submitted to Makah Tribal Council, Neah Bay, WA.
- Makah Fisheries Management (MFM) 1986. FY 1986 third quarter report. Unpublished report submitted to Makah Tribal Council, Neah Bay, WA.
- Makah Fisheries Management (MFM) 1987. Fall 1987 Lake Ozette sockeye enhancement progress report. Unpublished report submitted to Makah Tribal Council, Neah Bay, WA.
- Makah Fisheries Management (MFM) 1991. Lake Ozette sockeye salmon studies: 1991 report of activities. Makah Fisheries Management, Neah Bay, WA.
- Makah Fisheries Management (MFM) 1992. Lake Ozette sockeye salmon studies: adult weir operations, 1991-1992. Unpublished report submitted to Makah Tribal Council, 19pp plus appendix, Neah Bay, WA.
- Makah Fisheries Management (MFM) 2000. Lake Ozette sockeye hatchery and genetic management plan. Prepared by Makah Fisheries Management for Bureau of Indian Affairs, Biological Assessment, Section 7 Consultation, October 23, 2000, p. 217, Neah Bay, WA.
- Martin, D.J. 2001. The influence of geomorphic factors and geographic region of large woody debris loading and fish habitat in Alaska coastal streams. North American Journal of Fisheries Management **21**: 429-440.
- Martin Environmental 1999. Sockeye salmon spawning habitat and channel conditions in

- selected streams tributary to Lake Ozette. Unpublished report prepared for Rayonier Timberlands, 10pp, Hoquiam, WA.
- Maser, C. and Sedell, J.R. 1994. From the forest to the sea: the ecology of wood in streams, rivers, estuaries and oceans. St. Lucie Press, Delray Beach, FL.
- Mason, J.C. 1974. Aspects of the ecology of juvenile coho salmon (*Oncorhynchus kisutch*) in Great Central Lake, B.C. Fish. Res. Board Can. Tech. Rep. **438**: 7.
- McHenry, M.L., Lichatowich, J., and Kowalski-Hagaman, R. 1996. Status of pacific salmon and their habitats on the Olympic Peninsula, Washington. Lower Elwha Klallam Tribe, Port Angeles, WA.
- McHenry, M.L., Morrill, D.C., and Currence, E. 1994. Spawning gravel quality, watershed characteristics and early life history survival of coho salmon and steelhead in five north Olympic Peninsula watersheds. Lower Elwha S'Klallam Tribe, Makah Tribe, Port Angeles, WA.
- McNeil, W.J. and Ahnell, W.H. 1964. Success of pink salmon spawning relative to size of spawning bed materials. USFWS, Fisheries Report No 469 (College of Fisheries, University of Washington, Contribution No. 157), Washington D.C.
- Megahan, W.F. 1972. Subsurface flow interception by a logging road in mountains of central Idaho. National Symposium on Watersheds in Transition, American Water Resources Association 350-356.
- Megahan, W.F. and Kidd, W.J. 1972. Effects of logging and logging roads on erosion and sediment deposition from steep terrain. Journal of Forestry **70**: 136-141.
- Meier, R. 1998. Letter dated 22 June 1998 from R. Meier (Rayonier Northwest Forest Resources) to G. Griffin (Protected Resources Division, National Marine Fisheries Service), re: "Comments on _'Endangered and threatened species: Proposed threatened status and designated critical habitat for Ozette Lake, Washington sockeye salmon."
- Mertes, L.A.K. 1997. Documentation and significance of the perirheic zone on inundated floodplains. Water Resource Research **33**: 1749-1762.
- Mertes, L.A.K. 2000. Inundation hydrology. *In* Inland flood hazards. *Edited by* E.E. Wohl. Cambridge University Press, Cambridge, U.K. pp. 145-166.
- Merz, J.E. 2001. Association of fall-run Chinook salmon redds with woody debris in the lower Mokelumne River, California. California Fish and Game **87**: 51-60.
- Meyer, J. and Brenkman, S. 2001. Water quality conditions in the Lake Ozette Basin, Washington and potential impacts to salmonids. Olympic National Park, 81pp, Port Angeles, WA.

- Mongillo, P.E. and Hallock, M. 1997. Distribution and habitat of native non-game fishes of the Olympic Peninsula. Washington State Department of Fish and Wildlife, Technical Report FRD 97-05, 45pp, Olympia, WA.
- Mongillo, P.E. and Hallock, M. 1999. Washington State status report for the Olympic mudminnow. Washington State Department of Fish and Wildlife, 36pp, Olympia, WA.
- Montgomery, D.R. 1994. Road surface drainage, channel initiation, and slope instability. Water Resources Research **30**: 1925-1932.
- Montgomery, D.R., Buffington, J.M., Peterson, N.P., Schuett-Hames, D., and Quinn, T.P. 1996. Stream-bed scour, egg burial depths, and the influence of salmonid spawning on bed surface mobility and embryo survival. Canadian Journal of Fisheries and Aquatic Sciences **53**: 1061-1070.
- Montgomery, D.R. and Piegay, H. 2003. Wood in rivers: interactions with channel morphology and processes. Geomorphology **51**: 1-5.
- Moore, J.W. 2006. Animal ecosystem engineers in streams. BioScience **56**: 237-246.
- Nakamura, F. and Swanson, F. 1993. Effects of coarse woody debris on morphology and sediment storage of a mountain stream. Earth Surface Processes and Landforms **18**: 43-61.
- National Marine Fisheries Service (NMFS) 1996. Making ESA determinations of effect for individual or grouped actions at the watershed scale. NOAA, National Marine Fisheries Service, 33pp, Portland, OR.
- National Marine Fisheries Service (NMFS) 1997. Investigation of scientific information on the impacts of California Sea Lions and Pacific Harbor Seals on salmonids and on the coastal ecosystems of Washington, Oregon, and California. U.S. Dep. Commer., NOAA Tech. Memo, NMFS-NWFSC-28, 172 pp.
- National Marine Fisheries Service (NMFS) 2003. Environmental assessment to analyze impacts of NOAA Fisheries' determination that the Ozette Lake Sockeye Salmon Resource Management Plan addresses section 4(d) limit 6 criteria and does not appreciably reduce the likelihood of survival and recovery of Ozette Lake sockeye salmon listed under the endangered species act. NMFS: Salmon Recovery Division-Propagation, Tributary Fisheries, and Recovery Branch, 58pp, Lacey, WA.
- National Marine Fisheries Service (NMFS) 2004. Salmon hatchery inventory and evaluation report for Ozette Lake sockeye salmon hatchery programs. NOAA, NMFS, Salmon Recovery Division, 28pp, Portland, OR.
- Nehlsen, W.J., Williams, J.E., and Lichatowich, J.A. 1991. Pacific salmon at the crossroads: stocks at risk from California, Oregon, Idaho, and Washington.

Fisheries **16**: 4-21.

- Newcombe, C.P. and Jensen, J.O.T. 1996. Channel suspended sediment and fisheries: a synthesis for quantitative assessment of risk and impact. North American Journal of Fisheries Management **16**: 693-727.
- Nickelson, T.E., Solazzi, M.F., Johnson, S.L., and Rogers, J.D. 1992. Effectiveness of selected stream improvement techniques to create suitable summer and winter rearing habitat for juvenile coho salmon (*Oncorhynchus kisutch*) in Oregon coastal streams. Canadian Journal of Fisheries and Aquatic Sciences **49**: 790-794.
- Nistor, C.J. and Church, M. 2005. Suspended sediment transport regime in a debris-flow gully on Vancouver Island, British Columbia. Hydrological Processes **19**: 861-885.
- NOAA-National Climate Data Center (NCDC) 2005. Quillayute Airport weather station data query for water years 1967 through 2005. Data query conducted in 2005.
- Novak, C.E. 1985. WRD data reports preparation guide. U.S. Geological Survey, Water Resources Division, Reston, Virginia.
- Opperman, J.J., Lohse, K.A., Brooks, C., Kelly, N.M., and Merenlender, A.M. 2005. Influence of land use on fine sediment in salmonid spawning gravels within the Russian River Basin, California. Canadian Journal of Fisheries and Aquatic Sciences **62**: 2740-2751.
- Pacific Fishery Management Council (PFMC) 2004. Review of 2003 ocean salmon fisheries. Pacific Fishery Management Council, Document prepared for the Council and its advisory entities, pp 102 plus appendices., Portland, OR.
- Packman, A.I. and Bencala, K.E. 2000. Modeling surface-subsurface hydrologic interactions. *In* Streams and Ground Waters. *Edited by* Jones J. A. and P.J. Mulholland. Academic Press, San Diego, CA pp. 45-80.
- Pauley, G.B., Risher, R., and Thomas, G.L. 1989. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Pacific Northwest)- sockeye salmon. U.S. Fish Wildlife Service, Biol. Rep. 82(11.126), U.S. Army Corps of Engineers, TR -82-4, 22pp.
- Pess, G.R., Beamer, E.M., and Steel, A.E. 2000. Effects of peak flows and spawning density on Chinook *Oncorhynchus tshawytscha* spawning success in two Puget Sound River Basins. NOAA Fisheries, Northwest Fisheries Science Center Watershed Program Open House Presentation, Seattle, WA.
- Peterman, R.M., Pyper, B.J., Lapointe, M.F., Adkison, M.D., and Adkison, C.J. 1998. Patterns of covariation in survival rates of British Columbia and Alaskan sockeye salmon (*Oncorhynchus nerka*) stocks. Canadian Journal of Fisheries and Aquatic Sciences **55**: 2503-2517.

- Peterschmidt, C. 2005. Lake Ozette sockeye smolt out-migration monitoring project 2003 and 2004. Unpublished report prepared by Makah Fisheries Management, 25pp., Neah Bay, WA.
- Peterschmidt, C. and Hinton, J. 2005. Resource management plan report for Lake Ozette sockeye 2004. Unpublished report prepared by Makah Fisheries Management, 10pp., Neah Bay, WA.
- Peterson, D.P. and Foote, C.J. 2000. Disturbance of small-stream habitat by spawning sockeye salmon in Alaska. Transactions of the American Fisheries Society **129**: 924-934.
- Peterson, N.P. and Quinn, T.P. 1996. Persistence of egg pocket architecture in redds of chum salmon, *Oncorhynchus keta*. Environmental Biology of Fishes **46**: 243-253.
- Philip Williams and Associates (PWA) 2002. The effects of Ozette River logjams on Lake Ozette: Assessing historic conditions and the potential for restoring logjams. Philip Williams and Associates, Seattle, WA.
- Phinney, L.A. and Bucknell, P. 1975. A catalog of Washington streams and salmon utilization, Volume 2 Coastal Region. Washington Department of Fisheries.
- Pike, A.W. and Wadsworth, S.L. 1999. Sealice on salmonids: their biology and control. Advances in Parasitology **44**: 233-337.
- Pimentel, D. and Kounang, N. 1998. Ecology of soil erosion in ecosystems. Ecosystems 1: 416-426.
- Poff, N.L. 1996. A hydrogeography of unregulated streams in the United States and an examination of scale dependence in some hydrological descriptors. Freshwater Biology **36**: 71-91.
- Port Angeles Daily News 1929. Waltonians to help commish stock fish.
- Port Angeles Evening News 1940. Great elk herds once kept Ozette area free of underbrush. Port Angeles Evening News, Port Angeles, WA.
- Pyper, B.J., Mueter, F.J., and Peterman, R.M. 2005. Across-species comparisons of spatial scales of environmental effects on survival rates of Northeast Pacific salmon. Transactions of the American Fisheries Society **134**: 86-104.
- Quinn, T.P. 1988. Estimated swimming speeds of migrating adult sockeye salmon. Can. J. Zool. **66**: 2160-2163.
- Quinn, T.P. 2005. The behavior and ecology of pacific salmon and trout. University of Washington Press, Bethesda, MD.
- Regional Mark Information System (RMIS) 2005. Database query conducted via the

- internet in 2005. Information cited accessed at http://www.rmis.org/index.html.
- Reid, L.M. and Dunne, T. 1984. Sediment production from forest road surfaces. Water Resources Research **20**: 1753-1761.
- Reiser, D.W. 1998. Sediment in gravel bed rivers: ecological and biological considerations. *In* Gravel-bed rivers in the environment. *Edited by* P.C. Klingeman, R.L. Beschta, P.D. Komar, and J.B. Bradley. Water Resources Publications, LLC., Highlands Ranch, CO pp. 199-228.
- Reiser, D.W. and Bradley, J.B. 1993. Fine sediment intrusion and salmonid habitat. *In* Advances in hydro-science and engineering: proceedings of the first international conference, Vol 1 and 2. *Edited by* S.S.Y. Wang. University of Mississippi, pp. 257-264.
- Ritchie, A.C. 2005. Lake Ozette shoreline morphology: 1953-2003. Unpublished progress report submitted to Olympic National Park, 9pp, Port Angeles, WA.
- Ritchie, A.R. 2006. Interim report: constructing a sediment source and deposition history of Lake Ozette. Unpublished report prepared for Olympic National Park, Port Angeles, WA.
- Rittmueller, J.F. 1986. Effects of logging roads on the composition of spawning gravel in streams of the west slope Olympic Mountains, Washington. Western Washington University, M.S. Thesis, 77pp plus appendix, Bellingham, WA.
- Robinson, M. and et al. 2003. Studies of the impacts of forests on peak flows and base flows: a European perspective. Forest Ecology Management **1186**: 85-97.
- Ruggerone, G.T. 1991. Threespine stickleback aggregations create a potential predation refuge for sockeye salmon fry. Canadian Journal of Zoology **70**: 1052-1056.
- Ruggerone, G.T. and Rogers, D.E. 1992. Predation of sockeye salmon fry by juvenile coho salmon in the Chignik Lakes, Alaska: implications for salmon management. North American Journal of Fisheries Management 12: 87-102.
- Sahin, V. and Hall, M.J. 1996. The affects of afforestation and deforestation on water yields. Journal of Hydrology **178**: 293-309.
- Samuelson, C.E., Hoffman, E.G., and Olsen, S.H. 1982. Effects of current logging practices in five western Washington streams. Contribution number 234, ITT Rayonier Research Center, Shelton, WA.
- Sandercock, F.K. 1991. Life history of coho salmon *Oncorhynchus kisutch. In* Pacific salmon life histories. *Edited by* C. Groot and L. Margolis. University of British Columbia Press, Vancouver B.C. Canada pp. 397-445.
- Schasse, H.W. 2003. Geologic map of the Washington portion of the Cape Flattery

- 1:100,000 quadrangle. Washington Division of Geology and Earth Resources, Open File Report 2003-5, 1 sheet, scale 1:100,000., Olympia, WA.
- Schneidler, M.M. 2006. Feasibility of reintroduction of sockeye salmon to historic or new beach spawning habitat in Lake Ozette, WA. Unpublished report for Salmon Life History and Behavior (Fish 450) course (Quinn 2005), University of Washington, Seattle.
- Schoonmaker, P. K., von Hagen, B., and Wolf, E. C. The rain forests of home: profile of a North American Bioregion. 97. Covelo, CA, Island Press.
- Schuett-Hames, D.E., Peterson, N.P., Conrad, R., and Quinn, T.P. 2000. Patterns of gravel scour and fill after spawning by chum salmon in a western Washington stream. North American Journal of Fisheries Management **20**: 610-617.
- Scott, D.F., Bruijnzeel, L.A., and Mackensen, J. 2005. The hydrological and soil impacts of forestation in the topics. *In* Forests, water and people in the humid tropics: past, present and future hydrological research for integrated land and water management. *Edited by* M. Bonell and L.A. Bruijnzeel. Cambridge University Press, U.K. pp. 622-651.
- Seegrist, D.W. and Gard, R. 1972. Effects of floods on trout in Sagehen Creek, California. Transaction of the American Fisheries Society 478-482.
- Seiler, D., Neuhauser, S., and Kishimoto, L. 2001. Annual project report: 2000 Skagit River wild 0+ Chinook production evaluation. Washington Department of Fish and Wildlife, Olympia, WA.
- Servizi, J.A. and Jensen J.O.T. 1977. Resistance of Adult Sockeye Salmon to Acute Thermal Shock. International Pacific Salmon Commission Progress Report, No. 34, 11pp.
- Shellberg, J.G. 2002. Hydrologic, geomorphic, and biologic influences on redd scour in bull char (*Salvelinus confluentus*) spawning streams. University of Washington, M.S. Thesis, 224pp, Seattle, WA.
- Shellberg, J.G. 2003. Ozette River water quantity analysis. Makah Fisheries Management, Technical Memorandum, Unpublished report, 20pp., Neah Bay, WA.
- Shields, F.D. and Gippel, C.J. 1995. Prediction of effects of woody debris removal on flow resistance. Journal of Hydraulic Engineering **121**.
- Sidle, R.C., Pearce, A.J., and O'Loughlin, C.L. 1985. Hillslope stability and land use. American Geophysical Union: Water Resources Monograph Series No. 11, Washington D.C.
- Sidle, R.C. and Wu, W. 2001. Evaluation of the temporal and spatial impacts of timber

- harvesting on landslide occurrence. *In* Land use and watersheds: human influences on hydrology and geomorphology in urban and forest areas. *Edited by* M.S. Wigmosta and S.J. Burges. American Geophysical Union, Water Science and Application 2, Washington D.C. pp. 179-193.
- Simon, A. 1995. Adjustment and recovery of unstable alluvial channels: identification and approaches for engineering management. Earth Surface Processes and Landforms **20**: 611-628.
- Simon, A. and Hupp, C.R. 1992. Geomorphic and vegetative recovery processes along modified stream channels of west Tennessee. USGS; Open-File Report 91-502, Denver, CO.
- Smith, C. 2000. Water Resource Inventory Area (WRIA) 20: limiting factors report. Washington State Conservation Commission, http://salmon.scc.wa.gov/reports/index.html.
- Smith, R.D., Sidle, R.C., and Porter, P.E. 1993. Effects on bedload transport of experimental removal of woody debris from a forest gravel-bed stream. Earth Surface Processes and Landforms **18**: 455-468.
- Stednick, J.D. 1996. Monitoring the effects of timber harvest on annual water yield. Journal of Hydrology **176**: 79-95.
- Sturm, T.W. 2001. Open channel hydraulics. McGraw Hill, New York.
- Sumioka, S.S., Kresch, D.L., and Kasnick, K.D. 1998. Magnitude and frequency of floods in Washington . U.S. Geological Survey, Water-Resources Investigations Report 97-4277, Tacoma, WA.
- Suttle, K.B., Power, M.E., Levine, J.M., and McNeely, C. 2004. How fine sediment in riverbeds impairs growth and survival of juvenile salmonids. Ecological Applications **14**: 969-974.
- Swan, J.G. 1869. The Indians of Cape Flattery. Smithsonian Institution, Smithsonian Contributions to Knowledge 220, Philadelphia, PA.
- Swindell, E.G. 1941. Transcript of minutes a meeting between Mr. E. G. Swindell, Jr. (U.S. Attorney Office, representing Taholah Indian Agency) and Makah Indians, discussing traditional fishing locations. Makah Museum, Makah Language Program, adapted version (contains Makah spelling and pronunciation of place names), Neah Bay, WA.
- Tabor, R. and Chan, J. 1996. Predation on sockeye salmon fry by cottids and other predatory fishes in the lower Cedar River, 1996. U.S. Department of Interior, Fish and Wildlife Service, 48pp, Lacey, WA.
- Tabor, R., Chan, J., and Hager, S. 1998. Predation of sockeye salmon fry by cottids and

- other predatory fishes in the Cedar River and Southern Lake Washington. U.S. Department of Interior, Fish and Wildlife Service, Unpublished report, 54pp, Lacey, WA.
- Tagart, J.V. 1984. Coho salmon survival from egg deposition to fry emergence. *In*Proceedings of the Olympic wild fish conference. *Edited by* J.M. Walton and D.B.
 Houston. Peninsula College- Fisheries Technology Program and Olympic
 National Park, Port Angeles, WA pp. 173-181.
- Tappel, P.D. and Bjornn, T.C. 1983. A new method of relating size of spawning gravel to salmonid embryo survival. North American Journal of Fisheries Management 3: 123-135.
- Thomas, R.B. and Megahan, W.F. 1998. Peak Flow Responses to Clear-Cutting and Roads in Small and Large Basins, Western Cascades, Oregon: A Second Opinion. Water Resources Research **34**: 3393-3403.
- Tripp, D.B. and Poulin, V.A. 1986. The effects of logging and mass wasting on salmonid spawning habitat in streams on the Queen Charlotte Islands. B.C. Ministry of Forest Lands, Land Management Report No. 50, Vancouver, B.C., Canada.
- Trites, A.W. and Larkin, P.A. 1996. Changes in the abundance of Steller sea lions in Alaska from 1956 to 1992: how many were there? Aquatic Mammals **22**: 153-166.
- Trotter, P.C. 1989. Coastal cutthroat trout: a life history compendium. Transactions of the American Fisheries Society **118**: 463-473.
- Tyler, A.V., Swanton, C.O., and McIntosh, B.C. 2001. Feeding ecology of maturing sockeye salmon (*Oncorhynchus nerka*) in nearshore waters of the Kodiak Archipelago. Final Report. OCS study MMS 2001-059, University of Alaska Coastal Marine Institute, University of Alaska Fairbanks and USDOI, MMS, Alaska OCS Region, 34 pp, Fairbanks, AK.
- U.S. Department of Agriculture (USDA) 1993. Determining the risk of cumulative watershed effects resulting from multiple activities. U.S. Department of Agriculture, U.S. Forest Service.
- U.S. Fish and Wildlife Service (USFWS) 1965. Reconnaissance report: Makah Indian fisheries management program. USDI, USFWS, Bureau of Sport Fisheries and Wildlife, Branch of Fishery Management, 4pp plus appendix, Olympia, WA.
- U.S. Water Resources Council 1981. Guidelines for determining flood flow frequency. U.S. Water Resources Council 17B.
- Veldhuisen, C. and Russell, P. 1999. Forest road drainage and erosion initiation in four west-Cascade watersheds. TFW Effectiveness Monitoring Report: TFW-MAG1-99-001, Olympia, WA.

Wallerstein, N.P. and Thorne, C.R. 2003. Influence of large woody debris on morphological evolution of incised, sand-bed channels. Geomorphology **59**: 1-21.

4/24/2008

- Ward, D., Robison, R.S., and Nye, G. 1976. Fisheries statistical report. Unpublished report prepared for Washington Department of Fisheries (WDF), Olympia, WA.
- Washington Department of Ecology (WDOE) 2005. Annual report on scientific research permit number OLYM-2004-SCI-0062 issued by the National Park Service Olympic National Park to the Washington State Department of Ecology for fish tissue contaminant research at Lake Ozette. Unpublished report submitted to ONP, 5pp, Lacey, WA.
- Washington Department of Fish and Wildlife (WDFW) 1997. 1995-1996 Steelhead harvest summary. WDFW, Olympia, WA.
- Washington Department of Fish and Wildlife (WDFW) 1999a. 1996 Washington State sport catch report. WDFW, Olympia, WA.
- Washington Department of Fish and Wildlife (WDFW) 1999b. 1997 Washington State sport catch report. WDFW, Olympia, WA.
- Washington Department of Fish and Wildlife (WDFW) 1999c. 1998 Washington State sport catch report. WDFW, Olympia, WA.
- Washington Department of Fish and Wildlife (WDFW) 1999d. 1999 Washington State sport catch report. WDFW, Olympia, WA.
- Washington Department of Fish and Wildlife (WDFW) 2000. Washington State salmonid stock inventory: coastal cutthroat trout. WDFW, 267pp, Olympia, WA.
- Washington Department of Fish and Wildlife (WDFW) 2002. Salmonid stock inventory. WDFW, Information cited accessed at http://wdfw.wa.gov/fish/sasi/, Olympia, WA.
- Washington Department of Fish and Wildlife (WDFW) 2004a. 2000-2001 Steelhead harvest summary. WDFW, Olympia, WA.
- Washington Department of Fish and Wildlife (WDFW) 2004b. 2001-2002 Steelhead harvest summary. WDFW, Olympia, WA.
- Washington Department of Fish and Wildlife (WDFW) and Western Washington Treaty Tribes (WWTIT) 1994. Washington state salmon and steelhead stock inventory (SASSI). Appendix 2: Coastal stocks. Washington Department of Fish and Wildlife, Fish Program, 587pp.
- Washington Department of Fisheries (WDF) 1955. Salmon fisheries of Washington coastal rivers and harbors. 70 pp, Olympia, WA.

- Washington Department of Fisheries (WDF) 1994. 1993-1994 Steelhead harvest summary. WDFW, Olympia, WA.
- Washington Department of Natural Resources (WDNR) 1997. Watershed Analysis Fish Habitat Module Version 4.0. Washington Department of Natural Resources, Olympia, WA.

4/24/2008

- Waters, T.F. 1995. Sediment in streams. American Fisheries Society Monograph No. 7, Bethesda, MD.
- Wemple, B.C., F.J. Swanson, and Jones, J.A. 2001. Forest roads and geomorphic process interactions, Cascade Range, Oregon. Earth Surface Processes and Landforms **26**: 191-204.
- Wemple, B.C. and Jones, J.A. 2003. Runoff production on forest roads in a steep, mountain watershed. Water Resource Research **39**.
- Wemple, B.C., Jones, J.A., and Grant, G.E. 1996. Channel network extension by logging roads in two basins, western Cascades Oregon. Water Resources Bulletin **32**: 1195-1207.
- White, D.S. 1993. Perspectives on defining and delineating hyporheic zones. Journal of the North American Benthological Society **12**: 61-69.
- Whiting, P.J. 2002. Streamflow necessary for environmental maintenance. Annual Review of Earth and Planetary Sciences **30**: 181-206.
- Whiting, P.J. and Pomeranets, M. 1997. A numerical study of bank storage and its contribution to streamflow. Journal of Hydrology **202**: 121-136.
- Wigmosta, M.S. and Perkins, W.A. 2001. Simulating the effects of forest roads on watershed hydrology. *In* Land use and watersheds: human influences on hydrology and geomorphology in urban and forest areas. *Edited by* M.S. Wigmosta and S.J. Burges. American Geophysical Union, Water Science and Application 2, Washington D.C. pp. 127-143.
- Wilk, J., Andersson, L., and Plermkamon, V. 2001. Hydrological impacts of forest conversion to agriculture in a large river basin in northeast Thailand. Hydrological Processes **15**: 2729-2748.
- Wolman, M.G. and Miller, J.P. 1960. Magnitude and frequency of forces in geomorphic processes. Journal of Geology **68**: 54-74.
- Wood, J.W. 1968. Disease of Pacific salmon- their prevention and treatment.

 Unpublished report submitted to Washington Department of Fisheries, Hatchery Division. 82pp, Olympia, WA.
- Wray, J. 1997. Olympic National Park ethnographic overview and assessment.

- Unpublished report prepared for Olympic National Park, Port Angeles, WA.
- Wydoski, R.S. and Whitney, R.R. 2003. Inland Fishes of Washington State: second edition. University of Washington Press, 322pp, Seattle, WA.
- Young, D.B. 2005. Distribution and Characteristics of Sockeye Salmon Spawning Habitats in the Lake Clark Watershed, Alaska. National Park Service, U.S. Department of the Interior. Water Resources Division. Natural Resource Program Center. Technical Report NPS/NRWRD/NRTR-2005/338
- Ziegler, A.D. and Giambelluca, T.W. 1997. Importance of rural roads as source areas for runoff in mountainous areas of northern Thailand. Journal of Hydrology **196**: 204-229.
- Ziegler, A.D., Giambelluca, T.W., Sutherland, R.A., Vana, T.T., and Nullet, M.A. 2001. Horton overland flow contribution to runoff on unpaved mountain roads: a case study in northern Thailand. Hydrological Processes **15**: 3203-3208.